

Material Safety Data Sheet

Barium Oxide Powder

Report No.: VIH240819005-1
Version: 2.1
Preparation Date: 08/19/2024
Revision Date: 08/19/2024

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name	Barium Oxide
Product No.	560800PD
Formula	BaO
CAS No.	1304-28-5
Synonyms	Barium monoxide

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Laboratory chemicals, Scientific research
Uses advised against	Consulting manufacturers

1.3 Details of the supplier of the safety data sheet

Company Name	VI HALBLEITERMATERIAL GmbH
Street	Bergener Straße 14.,
City	Hannover
State	Niedersachsen
Zip Code	30625
Country	Germany
Tel	0049 1626484175
Email	info@vimaterial.de
Website	https://vimaterial.de/

1.4 Emergency telephone number

Emergency Phone #	0049 1626484175
-------------------	-----------------

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Acute toxicity, Oral	Category 3 (H301)
Acute toxicity, Inhalation	Category 4 (H332)
Skin corrosion	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)

For full text of abbreviations: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal Word	Danger
Pictograms	

Hazard Statements

H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.

Precautionary Statements

Prevention	
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray
P264	Wash face, hands and any exposed skin thoroughly after handling
P270	Do not eat, drink or smoke when using this product
P271	Use only outdoors or in a well-ventilated area
P280	Wear protective gloves/protective clothing.
Response	
P301 + P310 + P330	IF SWALLOWED: Immediately call a POISON CENTER/ doctor. Rinse mouth
P301 + P330 + P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor
P305 + P351 + P338 + P310	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor
Storage	
P403 + P233	Store in a well-ventilated place. Keep container tightly closed
P405	Store locked up
Disposal	

P501	Dispose of contents/ container to an approved waste disposal plant
------	--

2.3 Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

This product does not contain any known or suspected endocrine disruptors.

3. Composition/information on ingredients

3.1 Substances

Chemical Family	Ceramic
-----------------	---------

Component	CAS No.	EC No.	Concentration
Barium oxide (BaO)	1304-28-5	215-127-9	<=100%

4. First aid measures

4.1 Description of first aid measures

General Treatment	If symptoms persist, call a physician.
Inhalation	Remove victim to fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.
Skin	Take off immediately all contaminated clothing. Rinse skin with water/ shower. Seek medical attention.
Eyes	Rinse with pure water for at least 15 minutes. Remove contact lenses, if present and easy to do. Seek medical attention.
Ingestion	Rinse mouth with water(only if the person is conscious). Do not induce vomiting. Never give anything by mouth to an unconscious person. Seek medical attention if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed, are included on labelling (Section 2.2) and in Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

1	Based on the symptoms that appear, provide targeted treatment.
2	Be aware that symptoms may be delayed.

5. Firefighting Measures

5.1 Extinguishing Media

Suitable extinguishing media	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
Unsuitable extinguishing media	N/A

5.2 Special hazards arising from the substance or mixture

1	Barium oxide
2	Non-flammable.
3	Ambient fire may liberate hazardous vapours.

5.3 Advice for firefighters

1	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
2	Fight fire from a safe distance and with adequate protection.
3	Do not allow firefighting water to enter drains or water courses.
4	Collect contaminated firefighting water separately.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	Remove persons to safety. Use personal protective equipment as required. Avoid dust formation. Remove all sources of ignition.
For emergency responders	Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental Precautions

1	Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.
---	---

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill	Covering of drains, Take up mechanically.
Advice on how to clean up a spill	Take up mechanically. Take care not to raise dust.
Other information relating	Place in appropriate containers for disposal. Ventilate affected

to spills and releases	area.
------------------------	-------

6.4 Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

7. Handling and Storage

7.1 Precautions for safe handling

Recommendations	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Ventilation requirements	Keep containers tightly closed in a dry, cool and well-ventilated place.
Flammability hazards	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
Incompatible materials	See section 10.5.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Substance	CAS No.	Source	TWA (8 h)/ mg/m ³	Remarks
Barium oxide	1304-28-5	TRGS 900 (DE)	0.5 (as Ba)	Inhalable fraction
Barium oxide	1304-28-5	DFG/MAK (DE)	0.5 (as Ba)	MAK value; inhalable aerosol
Barium oxide	1304-28-5	ACGIH (USA)	0.5 (as Ba)	TLV-TWA; based on soluble barium compounds
Barium oxide	1304-28-5	EU IOELV	-	No specific OEL established

Notes:

- ✧ *All exposure limits are expressed as barium (as Ba) and apply to soluble barium compounds, including barium oxide.*

TWA: Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

1	Ensure that eyewash stations and safety showers are close to the workstation location.
2	Ensure adequate ventilation, especially in confined areas.
3	Use explosion-proof electrical/ventilating/lighting equipment.
4	Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles) (European standard - EN166) and face protection.

Skin protection

-Hand Protection

Protective gloves (The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.)

-Other protection measures

Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly.

Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
----------------------------------	--

Small scale/Laboratory use	<p>Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.</p> <p>Recommended half mask:- Particle filtering: EN149:2001</p> <p>When RPE is used a face piece Fit Test should be conducted</p>
-----------------------------------	--

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

9. Physical and Chemical Characteristics

9.1 Information on basic physical and chemical properties

Physical State	Powder Solid
Colour	White
Odor	Odorless
Melting Point/Range	1920 °C
Boiling Point/Range	2000 °C
Flammability (liquid)	Not applicable
Flammability (solid, gas)	No data available
Explosion limits	No data available
Flash Point	No data available
Autoignition Temperature	No data available
Decomposition Temperature	No data available
pH	No data available
Viscosity	Not applicable
Water Solubility	No data available
Solubility in other solvents	No data available
Partition Coefficient (n-octanol/water)	No data available
Vapor Pressure	No data available
Density / Specific Gravity	5.72 g/cm ³
Vapor Density	Not applicable
Particle characteristics	No data available

9.2 Other information

Molecular formula	BaO
Molecular weight	153.34 g/mol
Evaporation Rate	Not applicable - Solid

10. Stability and reactivity

10.1 Reactivity

None known, based on information available.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous Polymerization: No data available.

Hazardous Reactions: No data available.

10.4 Conditions to avoid

Avoid moisture.

10.5 Incompatible materials

Acids, Acid chlorides, Acid anhydrides, Reducing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	Oral:	LD50 Oral - 100 mg/kg
	Dermal:	LD50 Intraperitoneal - Mouse - 146 mg/kg
	Inhalation:	LC50 Inhalation - 4 h - 1.5 mg/l - dust/mist
Skin corrosion/irritation	No data available.	
Serious eye damage/irritation	No data available.	
Respiratory or skin sensitization	Respiratory	No data available.
	Skin	No data available.
Germ cell mutagenicity	No data available.	
Carcinogenicity	No data available.	
Reproductive toxicity	No data available.	
STOT - single exposure	No data available.	
STOT - repeated exposure	No data available.	
Aspiration hazard	Not applicable. Solid	

11.2 Information on other hazards

Endocrine Disrupting Properties: Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

12. Ecological Information

12.1 Toxicity

Ecotoxicity effects	No data available.
---------------------	--------------------

12.2 Persistence and degradability

Persistence	No data available.
Degradability	No data available.

12.3 Bioaccumulative potential

Bioaccumulative potential	No data available.
---------------------------	--------------------

12.4 Mobility in soil

Mobility in soil	No data available.
------------------	--------------------

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.
------------------------------------	--

12.6 Endocrine disrupting properties

Endocrine Disruptor Information	This product does not contain any known or suspected endocrine disruptors.
---------------------------------	--

12.7 Other adverse effects

Persistent Organic Pollutant	This product does not contain any known or suspected substance
Ozone Depletion Potential	This product does not contain any known or suspected substance

13. Disposal Considerations

13.1 Waste treatment methods

Waste treatment-relevant information	Dispose of in accordance with local, regional, and national regulations.
Sewage disposal-relevant information	Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.
Waste treatment of containers/packageings	Empty containers must be disposed of in accordance with local regulations.

Other Information

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

14. Transport information

IMDG

14.1. UN number	UN 1884
14.2. UN Proper shipping name	BARIUM OXIDE
14.3. Transport hazard class(es)	6.1
14.4. Packaging group	III

ADR/RID/ADN

14.1. UN number	UN 1884
14.2. UN Proper shipping name	BARIUM OXIDE
14.3. Transport hazard class(es)	6.1
14.4. Packaging group	III

ICAO-IATA/DGR

14.1. UN number	UN 1884
14.2. UN Proper shipping name	BARIUM OXIDE
14.3. Transport hazard class(es)	6.1
14.4. Packaging group	III

14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories

Component	EINECS	EC	TSCA	IECSC	NZIoC	PICCS	KECL	DSL
-----------	--------	----	------	-------	-------	-------	------	-----

		Inventory						
Barium Oxide (BaO)	√	√	√	√	√	√	√	√

[EINECS]	European Inventory of Existing Commercial Chemical Substances
[EC Inventory]	EC Inventory
[TSCA]	United States Toxic Substances Control Act Inventory
[IECSC]	Chinese Chemical Inventory of Existing Chemical Substances
[NZIoC]	New Zealand Inventory of Chemicals
[PICCS]	Philippines Inventory of Chemicals and Chemical Substances
[KECL]	Korea Existing Chemicals List
[DSL]	Canada Domestic Substances List

Note: "√" Listed
 "x" No data / Not listed

Authorisation/Restrictions according to EU REACH

Component	CAS No.	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC1907/2006) article 59 -Candidate List of Substances of Very High Concern (SVHC)
Barium Oxide (BaO)	1304-28-5	-	Use restricted. See item 75. (see link for restriction details)	-

Reach link:
<https://echa.europa.eu/substances-restricted-under-reach>

Seveso III Directive (2012/18/EC)

Component	CAS No.	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) -Qualifying Quantities for Safety Report Requirements
Barium Oxide (BaO)	1304-28-5	Not applicable	Not applicable

Regulation (EC) No. 649/2012 (Export and import of hazardous chemicals):
 Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?
 Not applicable

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note - applicable where occupational exposure occurs.

National Regulations - Germany:

- ❖ **TRGS 900 (Technical Rules for Hazardous Substances – Occupational Exposure Limits):**
Specific AGW (workplace exposure limit) for soluble barium compounds (as Ba):
 - Inhalable fraction: 0.5 mg/m³
- ❖ **TA Luft (Technical Instructions on Air Quality Control):** Classified under class I (organic/inorganic substances) if dust emissions occur; subject to general dust limits.
- ❖ **Water Hazard Classification (WGK, self classification):** WGK 2 (hazardous to water).

National Regulations – United Kingdom:

- ❖ Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

16. Other information

Revision information

Preparation date	08/19/2024
Revision date	08/19/2024
Revision reason	Creation.

Abbreviations and acronyms

CAS	Chemical Abstracts Service
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
IATA	International Air Transportation Association
IMDG	International Maritime Dangerous Goods
LC50	Lethal Concentration 50%
LD50	Lethal Dose 50%
TWA	Time Weighted Average
STOT	Specific target organ toxicity
PBT	Persistent, Bioaccumulative, Toxic
vPvB	Very Persistent, very Bioaccumulative
WEL	Workplace exposure limit

References

- [1] CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- [2] ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>
- [3] eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- [4] Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- [5] HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- [6] IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- [7] IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- [8] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>

List of relevant phrases (code and full text as stated in chapter 2 and 3)

H301	Toxic if swallowed.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.

Disclaimer

The information of this safety data sheet is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products. For further information please contact info@vimaterial.de.