

Material Safety Data Sheet

Tantalum Metal Powder

Report No.: VIH241101001-1

Version: 2.1

Preparation Date: 11/01/2024 Revision Date: 11/01/2024

1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name	Tantalum
Product No.	7300PD
Formula	Та
CAS No.	7440-25-7
Synonyms	None

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Laboratory chemicals, Scientific research
Uses advised against	Consulting manufacturers

1.3 Details of the supplier of the safety data sheet

Company Name	VI HALBLEITERMATERIAL GmbH
Street	Bergener Straße 14.,
City	Hannover
State	Niedersachsen
Zip Code	30625
Country	Germany
Tel	0049 1626484175
Email	info@vimaterial.de
Website	https://vimaterial.de/

1.4 Emergency telephone number

|--|

2. Hazards Identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Physical hazards

Flammable solids	Category 1 (H228)
------------------	-------------------

Health hazards

|--|

Environmental hazards

Not Classified

Full text of Hazard Statements: see section 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal Word	Danger
Pictograms	

Hazard Statements

H228	Flammable solid
H319	Causes serious eye irritation

Precautionary Statements

Prevention		
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking	
P240	Ground and bond container and receiving equipment	
P241	Use explosion-proof electrical/ventilating/lighting/tooling equipment	
P280	Wear protective gloves/ eye protection/ face protection	
Response		
P305+P351	If in eyes: Rinse cautiously with water for several minutes	
P370+P378	In case of fire: Use powder extinguisher or sand to extinguish - never use water	

2.3 Other hazards

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

This product does not contain any known or suspected endocrine disruptors.

3. Composition/information on ingredients

3.1 Substances

|--|

Component	CAS No.	EC No.	Concentration
Tantalum (Ta)	7440-25-7	231-135-5	<=100%

4. First aid measures

4.1 Description of first aid measures

General Treatment	If symptoms persist, call a physician.	
Inhalation	Remove victim to fresh air. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.	
Skin	Take off immediately all contaminated clothing. Rinse skin with water/ shower. Seek medical attention.	
Eyes	Rinse with pure water for at least 15 minutes. Remove contact lenses, if present and easy to do. Seek medical attention.	
Ingestion	Clean mouth with water and drink afterwards plenty of water. Seek medical attention if you feel unwell.	

4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed, are included on labelling (Section 2.2) and in Section 11.

4.3 Indication of any immediate medical attention and special treatment needed

1	Based on the symptoms that appear, provide targeted treatment.
2	Be aware that symptoms may be delayed.

5. Firefighting Measures

5.1 Extinguishing Media

Suitable extinguishing media	Approved class D extinguishers
Unsuitable extinguishing media	Water or foam

5.2 Special hazards arising from the substance or mixture

1	Tantalum oxides	
2	Flammable	
3	Ambient fire may liberate hazardous vapours.	

5.3 Advice for firefighters

1	As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.
2	Fight fire from a safe distance and with adequate protection.
3	Do not allow firefighting water to enter drains or water courses.
4	Collect contaminated firefighting water separately.

6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency	Remove persons to safety. Use personal protective equipment as
personnel	required. Avoid dust formation. Remove all sources of ignition.
For emergency responders	Wear breathing apparatus if exposed to vapours/dust/spray/gases.

6.2 Environmental Precautions

1	Keep away from drains, surface and ground water. Retain
1	contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill	Covering of drains, Take up mechanically.
Advice on how to clean up a spill	Sweep up and shovel up. Take care not to raise dust.
Other information relating	Place in appropriate containers for disposal. Ventilate affected
to spills and releases	area.

6.4 Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

7. Handling and Storage

7.1 Precautions for safe handling

Recommendations	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Ventilation requirements	Keep containers tightly closed in a dry, cool and well-ventilated place.
Storage class	Class 4.1B
Incompatible materials	See section 10.5.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

8. Exposure Controls/Personal Protection

8.1 Control parameters

Exposure limits

Substance	CAS No.	Country / Regulation	Occupational Exposure Limit (OEL)	STEL (Short-Term Exposure Limit)
Tantalum (metal dust)	7440-25-7	TRGS 900 (DE)	AGW (TWA): 5 mg/m ³ (r)	-
Tantalum (metal dust)	7440-25-7	EU SCOEL	-	-
Tantalum (metal dust)	7440-25-7	USA (ACGIH TLV)	TWA: 5 mg/m³ (i)	10 mg/m³ (i)
Tantalum (metal dust)	7440-25-7	UK (EH40/2005)	WEL-TWA: 5 mg/m ³ (i)	10 mg/m³ (i)

Notes:

i: Inhalable fraction

r: Respirable fraction

TWA: Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

STEL: Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15- minute period (unless otherwise specified)

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal protective equipment

Eye/face protection

Wear safety glasses with side shields (or goggles) (European standard - EN166) and face protection.

Skin protection

-Hand Protection

Protective gloves (The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.)

-Other protection measures

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly.

Large scale/emergency use	Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced Recommended Filter type: Particulates filter conforming to EN 143
Small scale/Laboratory use	Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. Recommended half mask:- Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

9. Physical and Chemical Characteristics

9.1 Information on basic physical and chemical properties

Physical State

Colour	Dark gray/Black
Odor	Odorless
Melting Point/Range	2996 °C
Boiling Point/Range	5429 °C
Flammability (liquid)	Not applicable
Flammability (solid, gas)	No data available
Explosion limits	No data available
Flash Point	No data available
Autoignition Temperature	No data available
Decomposition	No data available
Temperature	NO data available
рН	No data available
Viscosity	Not applicable
Water Solubility	Insoluble
Solubility in other solvents	No data available
Partition Coefficient	No data available
(n-octanol/water)	NO data available
Vapor Pressure	No data available
Density / Specific Gravity	16.69 g/cm ³
Vapor Density	Not applicable
Particle characteristics	No data available

9.2 Other information

Molecular formula	Та
Molecular weight	180.95 g/mol
Evaporation Rate	Not applicable - Solid

10. Stability and reactivity

10.1 Reactivity

None known, based on information available.

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Hazardous Polymerization: No data available **Hazardous Reactions:** No data available.

10.4 Conditions to avoid

No data available.

10.5 Incompatible materials

Acids, Strong oxidizing agents

10.6 Hazardous decomposition products

In the event of fire: see section 5

11. Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

	Oral:	No data available
Acute toxicity	Dermal:	No data available
	Inhalation:	LC50 > 5.18 mg/L (Rat) 4 h
Skin corrosion/irritation	No data availab	le.
Serious eye damage/irritation	No data available.	
Respiratory or skin	Respiratory	No data available.
sensitization	Skin	No data available.
Germ cell mutagenicity	No data available.	
Carcinogenicity	No data available.	
Reproductive toxicity	No data available.	
STOT - single exposure	No data available.	
STOT - repeated exposure	No data available.	
Aspiration hazard	Not applicable. Solid	

11.2 Information on other hazards

Endocrine Disrupting Properties: Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

12. Ecological Information

12.1 Toxicity

Ecotoxicity effects

12.2 Persistence and degradability

Persistence	No data available.
Degradability	No data available.

12.3 Bioaccumulative potential

|--|

12.4 Mobility in soil

	Mobility in soil	No data available.
--	------------------	--------------------

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB	In accordance with Annex XIII of the REACH Regulation, inorganic
assessment	substances do not require assessment.

12.6 Endocrine disrupting properties

Endocrine Disruptor	This product does not contain any known or suspected endocrine
Information	disruptors.

12.7 Other adverse effects

Persistent Organic Pollutant	This product does not contain any known or suspected substance
Ozone Depletion Potential	This product does not contain any known or suspected substance

13. Disposal Considerations

13.1 Waste treatment methods

Dispose of in accordance with all applicable local and national regulations. Use recovery/recycling where feasible, otherwise incineration is the recommended method of disposal. Empty containers may contain hazardous residues. Do not cut, puncture or weld on or near to the container. Labels should not be removed from containers until they have been cleaned. Contaminated containers must not be treated as household waste. Containers should be cleaned by appropriate methods and then re-used or disposed of by landfill or incineration as appropriate. Do not incinerate closed containers.

14. Transport information

IMDG

14.1. UN number	UN 3089
14.2. UN Proper shipping name	Metal powder, flammable, n.o.s., (Tantalum Powder)
14.3. Transport hazard class(es)	4.1
14.4. Packaging group	II

ADR/RID/ADN

14.1. UN number	UN 3089

14.2. UN Proper shipping name	Metal powder, flammable, n.o.s., (Tantalum Powder)
14.3. Transport hazard class(es)	4.1
14.4. Packaging group	II

ICAO-IATA/DGR

14.1. UN number	UN 3089
14.2. UN Proper shipping name	Metal powder, flammable, n.o.s., (Tantalum Powder)
14.3. Transport hazard class(es)	4.1
14.4. Packaging group	II

14.5. Environmental hazards	No hazards identified
14.6. Special precautions for user	No special precautions required
14.7. Maritime transport in bulk according to IMO instruments	Not applicable, packaged goods

15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This Safety Data Sheet is prepared in accordance with Commission Regulation (EC) 1907/2006, amended by Commission Regulation (EU) 2020/878.

Authorisations/Restrictions

Regulation (EC) 1907/2006, REACH, Annex XIV list of substances	Not applicable
subject to authorisation:	
Regulation (EC) 1907/2006, REACH, Annex XVII restrictions on the	Not applicable
manufacture, placing on the market and use of certain dangerous	
substances:	
Regulation (EC) 1005/2009 on substances that deplete the ozone	Not applicable
layer:	
Regulation (EC) 850/2004 on persistent organic pollutants, amended	Not applicable
by (EU) No 2019/1021:	

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

16. Other information

Revision information

Preparation date	11/01/2024
Revision date	11/01/2024
Revision reason	Creation.

Abbreviations and acronyms

CAS	Chemical Abstracts Service
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
RID	Regulation concerning the International Carriage of Dangerous Goods by Rail
IATA	International Air Transportation Association
IMDG	International Maritime Dangerous Goods
LC50	Lethal Concentration 50%
LD50	Lethal Dose 50%
TWA	Time Weighted Average
STOT	Specific target organ toxicity
PBT	Persistent, Bioaccumulative, Toxic
vPvB	Very Persistent, very Bioaccumulative
WEL	Workplace exposure limit

References

- [1] CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- [2] ECHA European Chemicals Agency, website: https://echa.europa.eu/
- [3] eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

 $http://www.echemportal.org/echemportal/index?pageID=0\&request_locale=en$

[4] Germany GESTIS-database on hazard substance, website:

http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp

- [5] HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- [6] IARC International Agency for Research on Cancer, website: http://www.iarc.fr/
- [7] IPCS The International Chemical Safety Cards (ICSC), website:

http://www.ilo.org/dyn/icsc/showcard.home

[8] ERG - Emergency Response Guidebook by U.S. Department of Transportation, website:

http://www.phmsa.dot.gov/hazmat/library/erg

List of relevant phrases (code and full text as stated in chapter 2 and 3)

H228	Flammable solid
H319	Causes serious eye irritation

Disclaimer

The information of this safety data sheet is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products. For further information please contact info@vimaterial.de.